

Battery Charging Station
(Photograph 1)

Battery label

**Battery Charging Station**
(Photograph 2)

Battery label

**Battery Charging Station**
(Photograph 3)

Battery Label


**Battery Charging Station**
(Photograph 4)

Battery case warning label



Battery Charging Station
(Photograph 5)

Battery label

**Battery Charging Station**
(Photograph 6)

Battery Label

**Battery Charging Station**
(Photograph 7)

Battery label

**Battery Charging Station**
(Photograph 8)

Acid corrosion under batteries



Battery Charging Station
(Photograph 9)

Acid corrosion on battery

**Battery Charging Station**
(Photograph 10)


Charging station

**Battery Charging Station**
(Photograph 11)

Battery transfer trolley

**Battery Charging Station**
(Photograph 12)

Transfer trolley label



Sample IH14-01 (Photograph 1)

PUF sampler in upper office

**Sample IH14-01 (Photograph 2)**

PUF sampler in upper office

**Sample IH14-01 (Photograph 3)**

PUF sampler in upper office



Sample IH14-02 (Photograph 1)

PUF sampler in main office

**Sample IH14-02 (Photograph 2)**

PUF sampler in main office

**Sample IH14-02 (Photograph 3)**

PUF sampler in main office



Sample IH14-03 (Photograph 1)

PUF sampler in salvage

**Sample IH14-03 (Photograph 2)**

PUF sampler in salvage

**Sample IH14-03 (Photograph 3)**

PUF sampler in salvage



Sample IH14-04 (Photograph 1)

PUF sampler outside break room

**Sample IH14-04 (Photograph 2)**

PUF sampler outside break room

**Sample IH14-04 (Photograph 3)**

PUF sampler outside break room



Sample IH14-05 (Photograph 1)

PUF sampler adjacent to battery charging

**Sample IH14-05 (Photograph 2)**

PUF sampler adjacent to battery charging

**Sample IH14-05 (Photograph 3)**

PUF sampler adjacent to battery charging



Sample IH14-06 (Photograph 1)

PUF sampler in catacombs. Sample not collected

**Sample IH14-06 (Photograph 2)**

PUF sampler in catacombs. Sample not collected.

**Sample IH14-06 (Photograph 3)**

PUF sampler in catacombs. Sample no collected



Sample IH14-07 (Photograph 1)

PUF sampler outside break room

**Sample IH14-07 (Photograph 2)**

PUF sampler outside break room



Sample IH14-08 (Photograph 1)

PUF sampler adjacent to battery charging

**Sample IH14-08 (Photograph 2)**

PUF sampler adjacent to battery charging



Sample IH14-09 (Photograph 1)

PUF sampler in catacombs



Sample IH14-10 (Photograph 1)

PUF sampler in used assets

**Sample IH14-10 (Photograph 2)**

PUF sampler in used assets



Sample IH14-11 (Photograph 1)

PUF sampler east of cosmetics

**Sample IH14-11 (Photograph 2)**

PUF sampler east of cosmetics



Sample IH14-12 (Photograph 1)

PUF sampler by north overhead doors

**Sample IH14-12 (Photograph 2)**

PUF sampler by north overhead doors



Sample B-ETP-01 (Photograph 1)

Battery charging area floor. Site of previous sample.

**Sample B-ETP-01 (Photograph 2)**

Battery charging area floor. Site of previous sample.

**Sample B-ETP-01 (Photograph 3)**

Repair after sampling

**Sample B-ETP-01 (Photograph 4)**

Floor repair



Sample B-ETP-02 (Photograph 1)

Battery charging area floor. Site of previous sample.

**Sample B-ETP-02 (Photograph 2)**

Battery charging area floor. Site of previous sample.

**Sample B-ETP-02 (Photograph 3)**

Floor repair



Sample B-ETP-03 (Photograph 1)

Battery charging area floor. Site of previous sample.

**Sample B-ETP-03 (Photograph 2)**

Battery charging area floor. Site of previous sample.

**Sample B-ETP-03 (Photograph 3)**

Floor repair



Sample B-ETP-04 (Photograph 1)

Battery charging area floor. Site of previous sample.

**Sample B-ETP-04 (Photograph 2)**

Battery charging area floor. Site of previous sample.

**Sample B-ETP-04 (Photograph 3)**

Repair after sampling

**Sample B-ETP-04 (Photograph 4)**

Floor repair



Sample B-ETP-05 (Photograph 1)

Battery charging area floor. Site of previous sample.

**Sample B-ETP-05 (Photograph 2)**

Battery charging area floor. Site of previous sample.

**Sample B-ETP-05 (Photograph 3)**

Floor repair

**Sample B-ETP-05 (Photograph 4)**

Equipment de-con



Sample B-ETP-06 (Photograph 1)

Battery charging area wall. Site of previous sample.

**Sample B-ETP-06 (Photograph 2)**

Battery charging area wall. Site of previous sample.

**Sample B-ETP-06 (Photograph 3)**

Wall repair



Sample W-ETP-07 (Photograph 1)

Battery Charging rack

**Sample W-ETP-07 (Photograph 2)**

Battery Charging rack

**Sample W-ETP-07 (Photograph 3)**

Battery Charging rack

**Sample W-ETP-07 (Photograph 4)**

Battery Charging rack



Sample W-ETP-8 (Photograph 1)

Battery trolley

**Sample W-ETP-8** (Photograph 2)

Battery trolley



Sample W-ETP-09 (Photograph 1)

Battery 12-C case

**Sample W-ETP-09 (Photograph 2)**

Battery 12-C case



Sample W-ETP-10 (Photograph 1)

Below charger 32

**Sample W-ETP-10 (Photograph 2)**

Below charger 32



Sample W-ETP-11 (Photograph 1)

Inside battery case 13

**Sample W-ETP-11 (Photograph 2)**

Inside battery case 13



Sample W-ETP-12 (Photograph 1)

Charger rack, below W-6

**Sample W-ETP-12 (Photograph 2)**

Charger rack, below W-6



Sample W-ETP-13 (Photograph 1)

I-beam behind charging rack

**Sample W-ETP-13 (Photograph 2)**

I-beam behind charging rack



Sample W-ETP-14 (Photograph 1)

I-beam behind charging rack

**Sample W-ETP-14 (Photograph 2)**

I-beam behind charging rack



Sample W-ETP-15 (Photograph 1)

I-beam behind charging rack

**Sample W-ETP-15 (Photograph 2)**

I-beam behind charging rack



Sample W-ETP-16 (Photograph 1)

Hose filter by battery rack

**Sample W-ETP-16 (Photograph 2)**

Hose filter by battery rack



Sample W-ETP-17 (Photograph 1)

Sealed floor by battery rack

**Sample W-ETP-17 (Photograph 2)**

Sealed floor by battery rack




Sample W-ETP-18 (Photograph 1)

Yellow floor paint

**Sample W-ETP-18 (Photograph 2)**

Yellow floor paint



Sample W-ETP-19 (Photograph 1)

Red floor paint

**Sample W-ETP-19 (Photograph 2)**

Red floor paint



Sample W-ETP-20 (Photograph 1)

Vinyl floor

**Sample W-ETP-20 (Photograph 2)**

Vinyl floor



Sample B-ETP-21 (Photograph 1)

Wall to floor interface behind battery
rack



Sample B-ETP-22 (Photograph 1)

Wall to floor interface behind battery
rack



Sample B-ETP-23 (Photograph 1)

Wall to floor interface behind battery rack



Sample B-ETP-24 (Photograph 1)

Paint sample at site of W-EPT-18

**Sample B-ETP-24 (Photograph 2)**

Paint sample at site of W-EPT-18



Sample B-ETP-25 (Photograph 1)

Concrete sample at site of W-EPT-18
and B-EPT-24

**Sample B-ETP-25 (Photograph 2)**

Concrete sample at site of W-EPT-18
and B-EPT-24

**Sample B-ETP-25 (Photograph 3)**

Floor repair



Sample B-ETP-26 (Photograph 1)

Concrete sample at site of W-EPT-19

**Sample B-ETP-26 (Photograph 2)**

Concrete sample at site of W-EPT-19

**Sample B-ETP-26 (Photograph 3)**

Floor repair



Sample B-ETP-27 (Photograph 1)

Expansion joint caulk



Sample B-ETP-28 (Photograph 1)

Wall to floor interface

**Sample B-ETP-28 (Photograph 2)**

Wall to floor interface



Sample B-ETP-29 (Photograph 1)

Dust sample from concrete ledge

**Sample B-ETP-29 (Photograph 2)**

Dust sample from concrete ledge



Sample B-ETP-30 (Photograph 1)

Concrete sample in floor near bolt in floor

**Sample B-ETP-30 (Photograph 2)**

Concrete sample in floor near bolt in floor

**Sample B-ETP-30 (Photograph 3)**

Floor repair



Sample B-ETP-31 (Photograph 1)

Concrete sample in floor near bolt in floor

**Sample B-ETP-31 (Photograph 2)**

Concrete sample in floor near bolt in floor

**Sample B-ETP-31 (Photograph 3)**

Floor repair



Sample B-ETP-32 (Photograph 1)

Expansion joint caulk



Sample W-ETP-33 (Photograph 1)

Wipe sample on stairs



Sample W-ETP-34 (Photograph 1)

Forklift 24

**Sample W-ETP-34 (Photograph 2)**

Forklift 24



Sample W-ETP-35 (Photograph 1)

Conveyor section 24

**Sample W-ETP-35 (Photograph 2)**

Conveyor section 24



Sample B-ETP-36 (Photograph 1)

Concrete sample in floor near bolt in floor

**Sample B-ETP-36 (Photograph 2)**

Concrete sample in floor near bolt in floor.

**Sample B-ETP-36 (Photograph 3)**

Floor repair




Sample W-ETP-37 (Photograph 1)

Wipe sample on support column

**Sample W-ETP-37 (Photograph 2)**

Wipe sample on support column



Sample W-ETP-38 (Photograph 1)

Wipe sample on stairs

**Sample W-ETP-38 (Photograph 2)**

Wipe sample on stairs



Sample B-ETP-39 (Photograph 1)

Concrete sample at site of W-EPT-39

**Sample B-ETP-39 (Photograph 2)**

Floor Repair



Sample W-ETP-40 (Photograph 1)

Wipe sample near support column

**Sample W-ETP-40 (Photograph 2)**

Wipe sample near support column.




Sample W-ETP-41 (Photograph 1)

Green conveyor wipe sample

**Sample W-ETP-41 (Photograph 2)**

Green conveyor wipe sample




Sample W-ETP-42 (Photograph 1)

Wipe sample on yellow stairs

**Sample W-ETP-42 (Photograph 2)**

Wipe sample on yellow stairs



Sample B-ETP-43 (Photograph 1)

Dust and paint sample from column base



Sample W-ETP-44 (Photograph 1)

I-beam wipe sample

**Sample W-ETP-44 (Photograph 2)**

I-beam wipe sample



Sample B-ETP-45 (Photograph 1)

Wall to floor interface sample


**Sample B-ETP-45 (Photograph 2)**

Wall to floor interface sample



Sample W-ETP-47 (Photograph 1)

Floor wipe sample



Sample B-ETP-48 (Photograph 1)

Bulk dust sample

**Sample B-ETP-48 (Photograph 2)**

Bulk dust sample




Sample W-ETP-49 (Photograph 1)

Steel wall wipe sample

**Sample W-ETP-49** (Photograph 2)

Steel wall wipe sample



Sample B-ETP-50 (Photograph 1)

Concrete sample from CMU joint at building expansion

**Sample B-ETP-50 (Photograph 2)**

Concrete sample from CMU joint at building expansion

**Sample B-ETP-50 (Photograph 3)**

Floor repair



Sample W-ETP-51 (Photograph 1)

Wipe sample from ledge of concrete wall

**Sample W-ETP-51 (Photograph 2)**

Wipe sample from ledge of concrete wall



Sample B-ETP-52 (Photograph 1)

Dust sample from ledge of concrete wall

**Sample B-ETP-52 (Photograph 2)**

Dust sample from ledge of concrete wall



Sample B-ETP-53 (Photograph 1)

Wood sample from joint at building expansion. Same location as B-ETP-50.



Sample B-ETP-54 (Photograph 1)

Bulk sample from expansion joint

**Sample B-ETP-54 (Photograph 2)**

Bulk sample from expansion joint

**Sample B-ETP-54 (Photograph 3)**

Floor repair



Sample B-ETP-55 (Photograph 1)

Dust sample from ledge of concrete wall

**Sample B-ETP-55 (Photograph 2)**

Dust sample from ledge of concrete wall



Sample B-ETP-56 (Photograph 1)

Dust sample from ledge of concrete wall



Sample B-ETP-57 (Photograph 1)

Concrete sample in floor near bolt in floor.

**Sample B-ETP-57 (Photograph 2)**

Concrete sample in floor near bolt in floor.

**Sample B-ETP-57 (Photograph 3)**

Floor repair



Sample B-ETP-58 (Photograph 1)

Bulk sample at expansion joint

**Sample B-ETP-58 (Photograph 2)**

Bulk sample at expansion joint

**Sample B-ETP-58 (Photograph 3)**

Floor repair



Sample B-ETP-59 (Photograph 1)

Dust from corner



Sample B-ETP-60 (Photograph 1)

Bulk sample of paint on floor

**Sample B-ETP-60 (Photograph 2)**

Bulk sample of paint on floor



Sample B-ETP-61 (Photograph 1)

Concrete sample at site of B-ETP-60

**Sample B-ETP-61 (Photograph 2)**

Floor repair



Sample W-ETP-62 (Photograph 1)

Wipe sample at site of B-EBT-60




Sample W-ETP-63 (Photograph 1)

Wipe sample on column

**Sample W-ETP-63 (Photograph 2)**

Wipe sample on column



Sample W-ETP-64 (Photograph 1)

Wipe sample of sealed and painted floor

**Sample W-ETP-64 (Photograph 2)**

Wipe sample of sealed and painted floor



Sample W-ETP-65 (Photograph 1)

Wipe sample of sealed concrete floor

**Sample W-ETP-65 (Photograph 2)**

Wipe sample of sealed concrete floor



Sample W-ETP-66 (Photograph 1)

Wipe sample of metal wall

**Sample W-ETP-66 (Photograph 2)**

Wipe sample of metal wall




Sample W-ETP-67 (Photograph 1)

Wipe sample of metal wall

**Sample W-ETP-67 (Photograph 2)**

Wipe sample of metal wall



Sample W-ETP-68 (Photograph 1)

Wipe sample of CMU wall

**Sample W-ETP-68 (Photograph 2)**

Wipe sample of CMU wall



Sample W-ETP-68 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-68 (Photograph 2)**

Wipe sample of painted floor



Sample W-ETP-70 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-70 (Photograph 2)**

Wipe sample of painted floor



Sample W-ETP-71 (Photograph 1)

Wipe sample of metal door

**Sample W-ETP-71 (Photograph 2)**

Wipe sample of metal door



Sample W-ETP-72 (Photograph 1)

Wipe sample of metal loading platform

**Sample W-ETP-72 (Photograph 2)**

Wipe sample of metal loading platform



Sample W-ETP-73 (Photograph 1)

Wipe sample on HVAC

**Sample W-ETP-73 (Photograph 2)**

Wipe sample on HVAC




Sample W-ETP-74 (Photograph 1)

Wipe sample in fiberglass wall

**Sample W-ETP-74 (Photograph 2)**

Wipe sample on fiberglass wall



Sample W-ETP-75 (Photograph 1)

Wipe sample on HVAC

**Sample W-ETP-75 (Photograph 2)**

Wipe sample on HVAC



Sample W-ETP-76 (Photograph 1)

Wipe sample on foil wall

**Sample W-ETP-76 (Photograph 2)**

Wipe sample on foil wall



Sample W-ETP-77 (Photograph 1)

Wipe sample on metal



Sample W-ETP-77 (Photograph 2)

Wipe sample on metal



Sample W-ETP-78 (Photograph 1)

Wipe sample on fiberglass wall



Sample B-ETP-79 (Photograph 1)

Bulk sample of fiberglass

**Sample B-ETP-79 (Photograph 2)**

Bulk sample of fiberglass



Sample B-ETP-80 (Photograph 1)

Bulk sample of fiberglass on HVAC

**Sample B-ETP-80 (Photograph 2)**

Bulk sample of fiberglass on HVAC



Sample W-ETP-81 (Photograph 1)

Wipe sample on gas heater

**Sample W-ETP-81 (Photograph 2)**

Wipe sample on gas heater



Sample W-ETP-82 (Photograph 1)

Wipe sample of floor



Sample W-ETP-83 (Photograph 1)

Wipe sample of foil wall



Sample W-ETP-84 (Photograph 1)

Wipe sample of fiberglass wall



Sample W-ETP-85 (Photograph 1)

Wipe sample of I-beam



Sample B-ETP-86 (Photograph 1)

Bulk sample of dust on I-beam



Sample B-ETP-87 (Photograph 1)

Bulk concrete floor sample

**Sample B-ETP-87 (Photograph 2)**

Bulk concrete floor sample.

**Sample B-ETP-87 (Photograph 3)**

Bulk concrete floor sample

**Sample B-ETP-87 (Photograph 4)**

Floor repair




Sample W-ETP-88 (Photograph 1)

Wipe sample on metal pipe


**Sample W-ETP-88 (Photograph 2)**

Wipe sample on metal pipe



Sample W-ETP-89 (Photograph 1)

Wipe sample on ledge



Sample W-ETP-90 (Photograph 1)

Wipe sample on stairs



Sample B-ETP-91 (Photograph 1)

Bulk sample of dust under stairs



Sample B-ETP-92 (Photograph 1)

Bulk sample of crack in concrete

**Sample B-ETP-92 (Photograph 2)**

Bulk sample of crack in concrete

**Sample B-ETP-92 (Photograph 3)**

Floor repair



Sample W-ETP-93 (Photograph 1)

Wipe sample on flammable cabinet

**Sample W-ETP-93 (Photograph 2)**

Wipe sample on flammable cabinet



Sample W-ETP-94 (Photograph 1)

Wipe sample on painted floor

**Sample W-ETP-94 (Photograph 2)**

Wipe sample on painted floor



Sample W-ETP-95 (Photograph 1)

Wipe sample on work bench



Sample B-ETP-96 (Photograph 1)

Bulk sample of floor next to bolt

**Sample B-ETP-96 (Photograph 2)**

Floor repair



Sample W-ETP-97 (Photograph 1)

Wipe sample of concrete/mastic floor

**Sample W-ETP-97 (Photograph 2)**

Wipe sample of concrete/mastic floor



Sample W-ETP-98 (Photograph 1)

Wipe sample of vinyl floor

**Sample W-ETP-98 (Photograph 2)**

Wipe sample of vinyl floor



Sample W-ETP-99 (Photograph 1)

Wipe sample of concrete/mastic floor

**Sample W-ETP-99 (Photograph 2)**

Wipe sample of concrete/mastic floor



Sample B-ETP-100 (Photograph 1)

Bulk sample of concrete crack at
sample W-ETP-99

**Sample B-ETP-100 (Photograph 2)**

Bulk sample of concrete crack at
sample W-ETP-99

**Sample B-ETP-100 (Photograph 3)**

Floor repair



Sample W-ETP-101 (Photograph 1)

Wipe sample of vinyl floor

**Sample W-ETP-101 (Photograph 2)**

Wipe sample of vinyl floor



Sample W-ETP-102 (Photograph 1)

Wipe sample of vinyl floor

**Sample W-ETP-102 (Photograph 2)**

Wipe sample of vinyl floor



Sample W-ETP-103 (Photograph 1)

Wipe sample of vinyl floor

**Sample W-ETP-103 (Photograph 2)**

Wipe sample of vinyl floor



Sample B-ETP-104 (Photograph 1)

Bulk sample of drywall




Sample W-ETP-105 (Photograph 1)

Wipe sample under roller rack

**Sample W-ETP-105 (Photograph 2)**

Wipe sample under roller rack



Sample B-ETP-106 (Photograph 1)

Bulk sample of dust under roller rack

**Sample B-ETP-106 (Photograph 2)**

Bulk sample of dust under roller rack



Sample W-ETP-107 (Photograph 1)

Wipe sample of sealed concrete

**Sample W-ETP-107 (Photograph 2)**

Wipe sample of sealed concrete



Sample W-ETP-108 (Photograph 1)

Wipe sample of stairs

**Sample W-ETP-108 (Photograph 2)**

Wipe sample of stairs



Sample W-ETP-109 (Photograph 1)

Wipe sample of Mezzanine


**Sample W-ETP-109 (Photograph 2)**

Wipe sample of Mezzanine



Sample W-ETP-110 (Photograph 1)

Wipe sample of Mezzanine

**Sample W-ETP-110 (Photograph 2)**

Wipe sample of Mezzanine



Sample W-ETP-111 (Photograph 1)

Wipe sample of Mezzanine

**Sample W-ETP-111 (Photograph 2)**

Wipe sample of Mezzanine



Sample W-ETP-112 (Photograph 1)

Wipe sample of Mezzanine

**Sample W-ETP-112 (Photograph 2)**

Wipe sample of Mezzanine



Sample W-ETP-113 (Photograph 1)

Wipe sample of Mezzanine

**Sample W-ETP-113 (Photograph 2)**

Wipe sample of Mezzanine.




Sample W-ETP-114 (Photograph 1)

Wipe sample of Mezzanine

**Sample W-ETP-114 (Photograph 2)**

Wipe sample of Mezzanine



Sample W-ETP-115 (Photograph 1)

Wipe sample of Mezzanine

**Sample W-ETP-115 (Photograph 2)**

Wipe sample of Mezzanine



Sample W-ETP-116 (Photograph 1)

Wipe sample of Mezzanine.

**Sample W-ETP-116 (Photograph 2)**

Wipe sample of Mezzanine



Sample W-ETP-117 (Photograph 1)

Wipe sample of Mezzanine

**Sample W-ETP-117 (Photograph 2)**

Wipe sample of Mezzanine.



Sample W-ETP-118 (Photograph 1)

Wipe sample of Mezzanine

**Sample W-ETP-118 (Photograph 2)**

Wipe sample of Mezzanine



Sample W-ETP-119 (Photograph 1)

Wipe sample of Mezzanine

**Sample W-ETP-119 (Photograph 2)**

Wipe sample of Mezzanine



Sample W-ETP-120 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-120 (Photograph 2)**

Wipe sample of painted floor




Sample W-ETP-121 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-121 (Photograph 2)**

Wipe sample of painted floor



Sample W-ETP-122 (Photograph 1)

Wipe sample of stairs

**Sample W-ETP-122 (Photograph 2)**

Wipe sample of stairs



Sample W-ETP-123 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-123 (Photograph 2)**

Wipe sample of painted floor



Sample W-ETP-124 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-124 (Photograph 2)**

Wipe sample of painted floor



Sample W-ETP-125 (Photograph 1)

Wipe sample of painted floor



Sample W-ETP-126 (Photograph 1)

Wipe sample of mezzanine

**Sample W-ETP-126 (Photograph 2)**

Wipe sample of mezzanine



Sample W-ETP-127 (Photograph 1)

Wipe sample of mezzanine

**Sample W-ETP-127 (Photograph 2)**

Wipe sample of mezzanine



Sample W-ETP-128 (Photograph 1)

Wipe sample of mezzanine

**Sample W-ETP-128 (Photograph 2)**

Wipe sample of mezzanine



Sample W-ETP-129 (Photograph 1)

Wipe sample of mezzanine

**Sample W-ETP-129 (Photograph 2)**

Wipe sample of mezzanine




Sample W-ETP-130 (Photograph 1)

Wipe sample of mezzanine

**Sample W-ETP-130 (Photograph 2)**

Wipe sample of mezzanine



Sample W-ETP-131 (Photograph 1)

Wipe sample of mezzanine

**Sample W-ETP-131 (Photograph 2)**

Wipe sample of mezzanine



Sample W-ETP-132 (Photograph 1)

Wipe sample of mezzanine

**Sample W-ETP-132 (Photograph 2)**

Wipe sample of mezzanine



Sample W-ETP-133 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-133 (Photograph 2)**

Wipe sample of painted floor



Sample W-ETP-134 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-134 (Photograph 2)**

Wipe sample of painted floor



Sample W-ETP-135 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-135 (Photograph 2)**

Wipe sample of painted floor.



Sample W-ETP-136 (Photograph 1)

Wipe sample of painted floor.

**Sample W-ETP-136 (Photograph 2)**

Wipe sample of painted floor



Sample W-ETP-137 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-137 (Photograph 2)**

Wipe sample of painted floor



Sample W-ETP-138 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-138 (Photograph 2)**

Wipe sample of painted floor



Sample W-ETP-139 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-139 (Photograph 2)**

Wipe sample of painted floor



Sample W-ETP-140 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-140 (Photograph 2)**

Wipe sample of painted floor



Sample W-ETP-141 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-141 (Photograph 2)**

Wipe sample of painted floor



Sample W-ETP-142 (Photograph 1)

Wipe sample of painted floor.

**Sample W-ETP-142 (Photograph 2)**

Wipe sample of painted floor



Sample W-ETP-143 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-143 (Photograph 2)**

Wipe sample of painted floor



Sample W-ETP-144 (Photograph 1)

Wipe sample of painted floor

**Sample W-ETP-144 (Photograph 2)**

Wipe sample of painted floor

